



Storage container
Shipping container

BAYGAR

SPACE
at once
CONTAINEX
+43 2236/601
www.containex.com

STORAGE CONTAINERS

■ Ideal for storage on company premises or on construction sites



20' storage container

■ **CTX storage containers:**

- available with wooden or steel floor
- galvanised locking bars
- up to 3-high stackable
- handling with crane or fork lift
- storage of up to 10 tons possible
- various extra equipment available



up to 3-high stackable



10' storage container



LC 9' - storage container - the perfect size for any use

■ Storage containers with optimal paintwork



■ Convincing quality:

- zinc phosphatisation and cathodic electro dip paint grounding
- paintwork using powder coating
- choice of colours according to CTX-RAL-chart



cathodic electro dip paint grounding

■ Your advantages:

- especially resistant, ecologically friendly cathodic electro dip coating
- high corrosion resistance
- perfect paint-bonding

■ Delivery in sets:



example of a storage container set
(LC 10' + 8')



example of a storage container set
(LC 10' + 8' + 6')



example of a storage container set
(LC 20' + LC 8' + LC 8')

STORAGE CONTAINERS

Design options



different colours according to our CTX-RAL-chart



security fittings



burglary protection



wooden or steel floor



electrical fittings



window and entrance door*)



rack



ventilation grille



fire rated Mover-Box

Dimensions (mm) and weights (kg):

Type	external			internal			weight	cap. (m³)
	length	width	height	length	width	height		
LC 6'	1,980	1,950	1,910	1,800	1,860	1,730	450	6.66
LC 8'	2,438	2,200	2,260	2,275	2,106	2,050	630	9.82
LC 9'	2,931	2,200	2,260	2,770	2,106	2,050	690	11.96
LC 10'	2,991	2,438	2,591	2,831	2,344	2,376	825	15.76
LC 15'	4,550	2,200	2,260	4,387	2,106	2,050	915	18.94
LC 20'	6,058	2,438	2,591	5,898	2,344	2,376	1,270	32.85
Mover-Box	2,200	1,600	2,445	2,040	1,500	2,200	450	6.55

*) only available for 10' and 20' storage container

GREEN technology

The production of the storage containers is undertaken according to strict environmental and quality standards.



■ „GREEN technology“ stands for:

- selection and use of recyclable materials
- energy efficient and environmentally friendly production in certified, European production plants
- continuous quality inspections and environmental audits in the production plants
- long-living container products - low energy consumption



environmentally friendly cataphoretic painting system in production plant SK-Cont, SK-Komarno

Further information about the environmental and quality measures taken by CONTAINEX can be found in the CTX-SSHE-Q report (Safety – Security – Health – Environment - Quality). You can ask your CONTAINEX sales manager for your personal copy.

SHIPPING CONTAINERS

■ Space for storage and transport



20' shipping container

■ CTX shipping containers:

- promptly available
- depots all over Europe
- CSC plated for 30 to maximum weight
- high paint quality



perfect space utilization in the warehouse



self-storage depot



container - rail loading

Quality is in the detail



steel plates made of Corten steel
(anti corrosive)



certified by Germanischer Lloyd



forged and galvanised door locking bars



burglary protection through standard
Lock-Box



bamboo-plywood floor with non-slip
coating



CSC plate

Dimensions (mm) and weights (kg):

Type	external			internal			weight
	length	width	height	length	width	height	
ISO 20' DV	6,058	2,438	2,591	5,898	2,350	2,390	2,200
ISO 40' DV	12,192	2,438	2,591	12,032	2,350	2,390	3,800
ISO 20' HC ¹⁾	6,058	2,438	2,896	5,898	2,350	2,680	2,500
ISO 40' HC ¹⁾	12,192	2,438	2,896	12,032	2,350	2,680	4,100

¹⁾ these and further types on request

Multiple usage



tyre storage in the garage



material storage / storage room in the company



equipment storage at events



self-storage facility



mobile garage



common room on construction sites



Industriezentrum NÖ-Süd, Straße 14
A-2355 Wiener Neudorf
Tel.: +43 2236 601-0
E-Mail: ctx@containex.com

www.containex.com

Edition: August 2011 – subject to alterations



BAYGAR